


Stop **dirt** in its tracks with Coral

When people enter your building, they carry unwanted guests on their shoes – muck and damp. But Coral entrance flooring stops them in their tracks. For example, over a 6 metre stretch of Coral flooring, up to 95% of walked in dirt and moisture is removed. Reduce your cleaning costs and keep your building looking good, let Coral stop those filthy gate crashers.

Only a well designed entrance flooring system can keep dirt in its tracks

That's why Coral:



Good for the environment.
Good for your daily environment.

From how they're made to how they perform, forbo flooring is truly sustainable. With its eco, safety, design and cleaning credentials, forbo is good for buildings, good for people and good for the planet. We help people work, live and relax in a better environment.

MANY CORAL PRODUCTS USE ECONYL YARN - MADE FROM USED AND ABANDONED FISHING NETS

Using Econyl helps reduce the planet's existing waste, avoids additional manufacturing-related pollution, and keeps the consumption of natural resources and energy to a minimum.

ALL WASTE YARN FROM CORAL PRODUCTION IS RE-USED BY THE YARN SUPPLIER.

Our constant search for new ways to reduce our environmental impact has led us to work very closely with forward-thinking suppliers. They incorporate ever higher levels of recycled content in their materials.

PRODUCED WITH 100% GREEN ELECTRICITY FROM RENEWABLE RESOURCES


We only use electricity from renewable sources - part of our rigorous environmental management system that has earned us a ISO 14001 certification.

The coral manufacturing plant creates virtually zero landfill.

CORAL COLLECTION AT A GLANCE

coral® brush

The great all-rounder.



coral® grip

The robust and ultimate dirt and grit remover.



coral® classic

The ultimate moisture absorber.



coral® click

The first steps in protecting your building.



coral® welcome

Where design meets environment.



coral® bright

When price is key.




coral® duo

The ultimate dirt and moisture remover.



coral® interior

Modularity in optima forma.



coral® luxe

Where aesthetic appeal is a top priority!



coral® logo

Make a lasting impression by creating your logo or bespoke design as an integral part of your entrance zone.

See Coral logo on page 344.




coral[®] brush



The great all-rounder against dirt and moisture.

Coral Brush is suitable for all types of entrance areas, absorbing moisture and removing dry soiling as the weather demands.

- Functional all-rounder that removes both moisture and dirt
- 100% of the yarn in Coral Brush is Econyl[®] regenerated solution dyed polyamide
- Appealing solid and linear designs
- Complies with the highest fire class standard for a textile product: B_{fl}-s1
- Suitable for heavy contract use
- Ideal for interior entrances and circulation areas
- Available in sheet, mats and 50cm x 50cm tiles



Description	Tufted cut pile	
Dimensions	Roll width 105 / 155 / 205cm	
	Roll length ≤ 27.5m	
	Tiles 50 x 50cm	
Mat dimensions	55 x 90cm / 90 x 155cm / 135 x 205cm / 205 x 300cm	
Total thickness	ISO 1765	Approx 9.0mm
Backing	EVERFORT [®] vinyl	
Yarn	Regenerated Econyl polyamide	
Area of use	Commercial heavy	
Reaction to fire	EN 13501-1	B _{fl} -s1, G, NCS
Slip resistance	EN 13893	μ > 0.30
Personal charging	ISO 6356	≤ 2 kV

*NOTE: Roll sizes include 2.5cm salve edge on each side.

Fire Resistant (FR) version available.


Please note: Digital representations may vary from the actual product. Please order a sample to see the full effect. www.forbo-flooring.com

coral[®] classic

The ultimate moisture absorber.

Research shows that taking just two steps on Coral Classic's moisture absorbing yarns is enough to absorb half of the foot-borne moisture that would otherwise be carried inside on the soles of people's shoes.

- Maximum moisture absorption and effective dirt removal
- Choice of practical colourways
- Complies with the highest fire class standard for a textile product: B_{fl}-s1
- Suitable for heavy contract use
- Ideal for interior entrances and circulation areas
- Available in sheet, mats and 50cm x 50cm tiles



Description	Tufted cut pile	
Dimensions	Roll width 105 / 155 / 205cm*	
	Roll length ≤ 27.5m	
	Tiles 50 x 50cm	
Mat dimensions	55 x 90cm / 90 x 155cm / 135 x 205cm / 205 x 300cm	
Total thickness	ISO 1765	Approx 9.0mm
Backing	EVERFORT [®] vinyl**	
Yarn	solution dyed polyamide	
Area of use	Commercial heavy	
Reaction to fire	EN 13501-1	B _{fl} -s1, G, NCS
Slip resistance	EN 13893	μ > 0.30
Personal charging	ISO 6356	≤ 2 kV

*NOTE: Roll sizes include 2.5cm salve edge on each side.

**Coral Classic tiles also available with Bitumen backing.

Fire Resistant (FR) version available.

Our recommended adhesive for Coral Sheet products is 540 Eurosafe special. Full technical specifications are available at www.forbo-flooring.com



5714 | shark grey LRV 4



5721 | hurricane grey* LRV 3



5774 | biscotti brown LRV 4



5710 | asphalt grey* LRV 2



5716 | masala brown LRV 5



5708 | avocado green LRV 3



5715 | charcoal grey LRV 2



5736 | cinnamon brown LRV 3



5722 | cornflower blue LRV 3



5730 | vulcan black LRV 1



5724 | chocolate brown LRV 3



5727 | stratos blue LRV 1



Coral brush 5727 | stratos blue



5739 | Byzantine purple LRV 2



5723 | cardinal red LRV 2



4751 | silver grey LRV 9



4701 | anthracite* LRV 6



4764 | taupe LRV 6



4721 | mouse grey LRV 4



4784 | coffee LRV 3



4768 | hunter green LRV 4



4730 | raven black* LRV 2



4726 | auburn LRV 4



4737 | Prussian blue LRV 2



4750 | warm black LRV 4



4756 | bronzetone LRV 2



4763 | ruby red LRV 6



Coral classic 4764 | taupe, 4726 | auburn



IN JUST TWO FOOTSTEPS, CORAL CLASSIC ABSORBS UP TO HALF THE WATER THAT WOULD OTHERWISE BE CARRIED INSIDE.

A few steps more, and your footwear is almost dry. This means the interior floor stays cleaner for longer. And resilient interior floors like vinyl, linoleum, wood and concrete are less likely to become slippery and dangerous.

Where design creates a better environment.

With its contemporary linear design and rich, deep pile, Coral Welcome packs the style and aesthetic appeal of a luxury carpet and makes an unequivocal statement in any entrance area.



- 100% of the yarn in Coral Welcome is Econyl® regenerated solution dyed polyamide
- Primary backing is made from recycled PET bottles
- Prevents moisture and dirt being tracked onto interior surfaces
- Striking linear aesthetic which makes a design statement in any entrance
- Complies with the highest fire class standard for a textile product: B_{fl}-s1
- Suitable for heavy contract use
- Ideal for interior entrances and circulation areas



Description	Tufted cut pile	
Dimensions	Roll width 205cm* Roll length ≤ 27.5m	
Mat dimensions	105 x 155 cm	
Total thickness	ISO 1765	Approx 9.0mm
Backing	EVERFORT® vinyl	
Yarn	Regenerated ECONYL® polyamide	
Collection size	8	
Area of use	Commercial heavy	
Reaction to fire	EN 13501-1	B _{fl} -s1, G, NCS
Slip resistance	EN 13893	μ > 0.30
Personal charging	ISO 6356	≤ 2 kV


*NOTE: Roll sizes include 2.5cm salve edge on each side.
Fire Resistant (FR) version available.



3201 | silver shadow LRV 3



3210 | black magic LRV 2



3205 | blue lagoon LRV 3



3202 | desperado LRV 2



3208 | matrix LRV 2



3207 | blue velvet LRV 1



3219 | colour purple LRV 1



3206 | volcano LRV 1

The ultimate dirt and moisture remover.

Coral Duo is the ideal solution when you need maximum dirt removal, unrivalled dirt retention and exceptional moisture absorption, all in just a couple of paces.



- Ideal solution for most entrances and especially smaller entrances
- 75% of the yarn in Coral Duo is Econyl® regenerated solution dyed polyamide
- Unbeatable performance for moisture and dirt removal
- Complies with the highest fire class standard for a textile product: B_{fl}-s1
- Suitable for heavy contract use
- Ideal for interior entrances and circulation areas

Description	Tufted cut pile	
Dimensions	Roll width 205cm* Roll length ≤ 27.5m	
Total thickness	ISO 1765	Approx 9.0mm
Backing	EVERFORT® vinyl	
Yarn	regenerated ECONYL® polyamide solution dyed polyamide	
Collection size	6	
Area of use	Commercial heavy	
Reaction to fire	EN 13501-1	B _{fl} -s1, G, NCS
Slip resistance	EN 13893	μ > 0.30
Personal charging	ISO 6356	≤ 2 kV

*NOTE: Roll sizes include 2.5cm salve edge on each side.
Fire Resistant (FR) version available.

Our recommended adhesive for Coral Sheet products is S40 Eurosafe special. Full technical specifications are available at www.forbo-flooring.com

Please note: Digital representations may vary from the actual product. Please order a sample to see the full effect. www.forbo-flooring.com



9710 | luna pearl LRV 4



9721 | dark steel LRV 2



9714 | Sicilian sand LRV 4



9747 | azul imperial LRV 1



9730 | black diamond LRV 1




9708 | green bellagio LRV 2

coral[®] luxe

Where aesthetic appeal is a top priority!

With it's luxurious appearance and rich pile height Coral Luxe may not give the impression of a traditional entrance floor, but is in fact a highly efficient clean-off solution for light to medium traffic areas where aesthetic appeal is top priority.

- Rich and elegant appearance
- Comfortable and soft feel
- Effective moisture and soil absorption
- Quick drying for maximum functionality
- Compliance with the highest fire class standard: Bfl-s1
- Suitable for light industrial use and private applications
- Ideal for circulation areas
- Produced with phthalate free technology



Description	Tufted cut pile	
Dimensions	20 m x 205 cm	
	20 m x 105 cm	
	135 cm x 205 cm	
	105 cm x 155 cm	
Total thickness	ISO 1765	Approx 8.5mm
Backing	EVERFORT® vinyl	
Yarn	regenerated ECONYL® polyamide	
Collection size	6	
Area of use	Commercial heavy	
Reaction to fire	EN 13501-1	B _{fl} -s1, G, NCS
Slip resistance	EN 13893	μ > 0.30
Personal charging	ISO 6356	≤ 2 kV

coral[®] grip

Want to know the secret to keeping your interior clean even when it looks like a hopeless cause? Don't start your entrance floor protection inside, start outside – by scraping off the largest soil particles before your visitors even cross the threshold. Coral Grip is a versatile, non-woven clean off barrier mat for outdoor and indoor use that comes in mediumduty (MD) and heavy-duty (HD) formats. Standard Coral Grip has an open, non-backed, pervious structure, though it can also be manufactured with an Everfort vinyl backing to make it impervious. And when the going is really tough, there's Coral Grip HD, whose patented embossed design and durable, pliable vinyl filaments ensure a highly effective dirt-scraping action.


The robust and ultimate dirt and grit remover

- Contains granulates for maximum non-slip performance
- Cleans off the worst dirt before it can get inside
- Helps protect an inviting interior design street-side
- Suitable for the heaviest commercial use
- Ideal for outside and inside entrance



Description	Non Woven scraping mat	
Dimensions	Rolls open 122 cm, with backing 127 cm.	
	Matts 60 x 90 cm (open)	
	Length rolls approx 10 meter (HD) 15 meter (MD)	
Total thickness	ISO 1765	Open structure approx. 16 mm (HD) 11 mm (MD) With backing approx. 17 mm (HD) 12 mm (MD)
Backing	EVERFORT vinyl	
Yarn	solution dyed vinyl with anti-slip granulate particles	
Collection size	4	
Area of use	Commercial heavy	
Reaction to fire	EN 13501-1	B _{fl} -s1, G, NCS
Slip resistance	EN 13893	μ > 0.30
Personal charging	ISO 6356	≤ 2 kV

open structure ☐ closed structure ☐



The first steps in protecting your building.

Coral Click is an exceptionally versatile ‘off the shelf’ modular matting system that can be assembled on site. Coral Click can be used on its own or in conjunction with our Coral clean-off textile ranges to provide an integrated entrance system.

This versatile PVC tile with Coral textile inserts can be used in all types of buildings and, because it contains no metal components, Coral Click entrance products are particularly suitable for installation in retail environments as they do not interfere with electronic-tagging systems.



- ‘Off the shelf’ modular matting system
- Exceptionally easy to fit, handle and store
- Available in 12mm & 17mm depths
- Textile inserts from the award winning Coral Brush collection
- Coral Brush insert is produced using 100% Econyl® regenerated yarn
- Coral Entrance flooring systems removes up to 95% of dirt and moisture from shoes and wheeled traffic
- 5 year guarantee



Description	Modular matting system	
Dimensions	24 x 24cm	
Total thickness	ISO 1765	11/16mm (without textile insert) 14/19mm (with Coral Brush insert)
Pile material	100% regenerated Econyl® Nylon	
Collection size	6	
Application	EN 1307	Class 33
CE	EN 14041	



7830 (12mm) | 7880 (17mm)



7833 (12mm) | 7883 (17mm)



7831 (12mm) | 7881 (17mm)



7834 (12mm) | 7884 (17mm)



7838 (12mm) Plain | 7888 (17mm) Plain



7837 (12mm) | 7887 (17mm)

When price is key

Fancy colours lighten up your entrance and create a welcoming atmosphere. With Coral bright you choose a economically attractive entrance floor that still has Coral functionalities.



Coral Bright 2607 | deep water, 2603 | vivid earth

- Comfortable and soft feel
- Suitable for entrances with low to medium footfall
- Attractive colours
- Also available in tiles



2604 | virgin sand LRV 10



2610 | cold lava LRV 2



2606 | fine peat LRV 2



2608 | fresh grass LRV 11



2607 | deep water LRV 3



2603 | vivid earth LRV 23

Description	Tufted cut pile	
Dimensions	27,5 m x 90 cm 27,5 m x 130 cm 27,5 m x 200 cm 50 x 50 cm mats: 60 x 90 cm 90 x 150 cm	
Total thickness	ISO 1765	Approx 8.5mm
Backing	EVERFORT® vinyl	
Yarn	Solution dyed regenerated ECONYL® polyamide	
Area of use	Commercial medium	
Reaction to fire	EN 13501-1	B _{fl} -s1, G, NCS
Slip resistance	EN 13893	μ > 0.30
Personal charging	ISO 6356	≤ 2 kV

Modularity in optima forma

Designing a nice building and interior comes with taking care of it. When using Coral interior as the circulation product in hallways, lounges and lobbies an integrated entrance system is covered. The colours of Coral interior are coordinated with other entrance products so a natural flow creates a coordinated look. The installation is extremely easy, tiles and planks are being randomly placed and installation waste is reduced to a minimum.

- Mix of planks and tiles for ultimate random effect
- Easy and quick installation (no pattern)
- Unique product for both entrance and circulation zone
- Colour matching with other entrance products
- Suitable for the toughest commercial use

Description	Tufted cut pile	
Available in tiles	50x50 cm & 100x25 cm / 6+6 per box / 3 m ²	
Total thickness	ISO 1765	Approx 10 mm
Backing	EVERFORT [®] vinyl	
Yarn	regenerated ECONYL [®] polyamide solution dyed polyamide	
Area of use	Commercial heavy	
Reaction to fire	EN 13501-1	B ₁ -s1, G, NCS
Slip resistance	EN 13893	μ > 0.30
Personal charging	ISO 6356	≤ 2 kV



Coral interior 1525 | prairie dusk



1521 | Alpine peak

LRV 10



1520 | desert sand

LRV 7



1525 | prairie dusk

LRV 5



1518 | rain forest

LRV 3



1515 | storm cloud

LRV 4



1517 | ocean spray

LRV 2



1530 | midnight shadow

LRV 1



1513 | savanna sunset

LRV 1