

FORBO'S LINOLEUM BRAND

The Marmoleum collections provide the largest colour bank in resilient flooring, a beautiful array of structures and designs that connects the colors of the indoor space. Made from natural raw materials Marmoleum is the most sustainable resilient floor around.

Sheet Marmoleum

Forbo's sheet Marmoleum comprises 3 collections – Solid, Linear and Marbled.

marmoleum® solid

The four individual finishes provide the foundation for creating pure, distinctive and modern spaces. The Solid collection combines contemporary styling with a versatility that enables designers to design an elegant, natural backdrop to any interior.



68

marmoleum® linear

This Linear collection offers a relevant, functional and desirable range that allows you to create comfortable spaces with a natural touch where you truly feel at home. The directional Linear pattern can be used to create a floor that guides people from one space to another, and to indicate an area within a larger space.



74

marmoleum® marbled

Taking inspiration from the natural world, and offering a spectrum of over 90 colours across the Fresco, Real, Terra, Vivace and Splash ranges, the Marmoleum Marbled collection combines both subtle and striking marbled effects to create a range that provides the perfect backdrop for any commercial interior.



76

marmoleum®

ohmex | acoustic | decibel

(special acoustic and static dissipative varieties)

In addition to our standard ranges, we also offer a number of linoleum floor coverings developed to meet specific technical or comfort requirements, including static control and sound reduction.



80

marmoleum® sport

Floor coverings in sports and multipurpose halls have extensive requirements to meet. A sports floor with Marmoleum Sport as a top layer diminishes the risk of injuries, reduces the risk on muscle fatigue and oversteering. The top layer guarantees optimal performance in terms of anti-slip and glide.



84

marmoleum® modular

Comprising 6 distinct design ranges – Lines, Textura, Slate, Shade, Marble and Colour, the Marmoleum Modular collection offers 100 x 25cm planks and 50 x 25cm and 50 x 50cm tiles to allow complete design freedom.



86

marmoleum® click

Our Marmoleum Click panels are very durable and simple to care for. The smooth surface is easy to clean while its beautiful colours won't fade over time. Marmoleum Click is available in 23 colours and 3 panel sizes, which offers great design opportunities to create your own unique floor.



92

furniture linoleum

Furniture Linoleum is a decorative surfacing material that can be applied to vertical, horizontal and curved surfaces, providing interior furniture with a truly distinctive and individual look.



98

bulletin board®

Pinboard linoleum, or Bulletin Board, offers a practical, simple solution to collect and exchange thoughts and ideas wherever people plan, create and meet. Simply share your thoughts by pinning your idea onto the wall.



96

STEP INTO MODERN NATURE

What happens when nature and technology merge and make each other stronger? Then Modern Nature arises. This is our answer to a more healthy, sustainable future.

We help to create better environments that add to the well-being of everyone and everything.

Marmoleum reconnects you with nature.
An endless source of inspiration and innovation.

Together with nature, we've designed floors that form the foundation of healthy spaces, where people can happily move, work, learn, heal, play and relax.

We invite you to create sustainable spaces that have a positive impact on everyone and everything.

marmoleum®
climate positive from cradle to gate,
without offsetting



marmoleum®
climate positive
CRADLE TO GATE

marmoleum® WELL-BEING STARTS HERE

In a world where we spend on average 85% of our time indoors, it only feels natural to give full focus on improving the quality of our indoor environment. Every square meter of our schools, healthcare institutions, workplaces, leisure centres and living spaces creates an opportunity to bring the best from nature to our indoor surroundings. Our floors lie at the base of so many prominent places. Therefore, we made it our mission to design and offer products that contribute in a positive way to the health and comfort of the individual

by bringing nature in. Creating a seamless connection between our living spaces and the natural world.

Marmoleum contributes to each and everyone's well-being on many levels. From the natural materials we use to the colours we offer. Its tactility and beautiful colours influence all your senses. Marmoleum brings a touch of nature in our daily lives and reinforces our connection to the environment.



marmoleum® MADE FROM NATURAL RAW MATERIALS

LINSEED OIL

Linseed oil is pressed from the seeds of the flax plant, we use.

UPCYCLED MARMOLEUM

Upcycle of our Marmoleum as we take back old floors and grind them to new raw materials for new Marmoleum floors.

WOOD FLOUR

After we add finely ground upcycled wood (wood flour) such as the branches, trunks, and roots of the trees harvested in the certified forestry industry.

PINE ROSIN

Rosin from pine trees which, together with the linseed oil, is heated and creates a linoleum paste.

JUTE

The fibers from the jute plant are used for the jute mesh carrier on which linoleum is calandered.

PIGMENTS

Pigments and natural iron oxide take care of the colouration of the granules.

COCOA HUSKS

We upcycle waste of the cocoa industry by adding cocoa husks to our marmoleum in the cocoa collection.

LIMESTONE

The next element to be added to a linoleum paste mix is limestone to create linoleum granules.

Marmoleum is plastic free and does not contain any harmful ingredients. Already boasting best in class quality, but with up to 98% use of natural raw materials of which 70% rapidly renewable it is a true natural beauty. It is climate positive - cradle to gate, without compensation.

We are fully focused in closing the loop and making sure that our responsibility for our products doesn't stop the moment the material leaves the factory. Therefore we developed our back-to-the-floor program. It contains reusing factory waste, taking back installation waste and even taking back old floors. Join us in this program and contact your local sales contact for all details.



BACK TO THE FLOOR
RECYCLING PROGRAM



marmoleum®
climate positive
CRADLE TO GATE

Circular ready

With the planet's resources vanishing quickly, it is of ever-growing importance to ensure a circular economy, where products are developed and manufactured to be recycled and reused for a new life and at the same time prevent and sequester carbon emissions.

Marmoleum is the perfect choice for those looking for a flooring option that is both beautiful and environmentally friendly.



Circular ready, reducing carbon footprint and increasing the use of post consumer recycled content, it can be used over and over again.




Long Lasting and highly durable thanks to the Topshield pro surface finish, the longer the floor can be used, the more circular it is.



Climate positive cradle to gate without offsetting. Produced with 100% green electricity.

DEALING WITH A FLOOR IN REAL LIFE

Marmoleum with Topshield pro is the ultimate flooring in many ways. The improved surface finish, developed with the latest technologies and based on our years of experience, keeps the appearance for longer and makes it smoother for easier cleaning. We can proudly say that Marmoleum is the best natural floor.





WHAT MAKES MARMOLEUM WITH TOPSHIELD PRO 3X BETTER



BEAUTY KEPT FOR LONGER

While Marmoleum with Topshield pro is designed to keep its appearance, it's important to follow some simple guidelines that will help keep the beauty of your floor for longer. When you can consider all elements of the triangle, Marmoleum with Topshield pro will do the rest.




marmoleum® solid

walton



Presenting the pure character of linoleum. The solid identity of Marmoleum Walton with its smooth surface and minimal, unpretentious material expression makes it the ultimate & pure representative of our linoleum flooring. Its plain visual makes Walton easy adaptable to the context it is used in, and the subtle texture gives it a soft and natural look. The contemporary color palette presents both cool grey tones, warm earthy shades and rich classic shades.



marmoleum® solid

cocoa



Marmoleum Cocoa, innovation that comes naturally. Circularity and beauty are united in Marmoleum cocoa. The contemporary design, refined aesthetics and modern selection of colours make it a timeless floor that fits every where. It combines the liveliness of cocoa husks with the calmness of mineral tones. Marmoleum cocoa in total contains 43% combined recycled content derived from installation waste and uplifted flooring, but also internal recycling of production waste and other industry recycled materials like wood flour and cocoa husks. In this range, we aim to maximize the % of end-of-life recycled Marmoleum floors specifically.



marmoleum® solid

concrete



The looks of a modern concrete floor with the warmth and naturalness of Marmoleum. The Marmoleum concrete design differentiates itself from the classic Marmoleum flooring with its subtle concrete structure. Adaptive and versatile to the latest trends while staying true to its nature. The collection contains four neutral concretes with a flash of colour that shimmers through the surface, ideal to make a matching combination with either a painted wall or a highlighting floor colour.



Marmoleum Concrete **3750** | pine forest

3757 | Pluto

LRV 51

3760 | dust

LRV 38

3759 | Mercury

LRV 28

3758 | shale

LRV 41

3708 | fossil

LRV 34

3702 | liquid clay

LRV 23

3732 | asteroid

LRV 45

3706 | beton

LRV 28

3755 | glacier

LRV 33

3704 | satellite

LRV 23

3756 | Neptune

LRV 18

3723 | nebula

LRV 17

3725 | cosmos

LRV 9

3703 | comet

LRV 14



Marmoleum Concrete **3759** | Mercury Marmoleum Walton **3378** | stucco

marmoleum® solid

concrete

3761 | Titan

LRV 41

3724 | orbit

LRV 37

3749 | Arctic

LRV 60

3727 | drift

LRV 31

3753 | blue ice

LRV 30

3750 | pine forest

LRV 31

3709 | silt

LRV 22

3754 | Sirius

LRV 12

3752 Taiga

LRV 16

3751 | tundra

LRV 24

3762 | loam

LRV 20



Marmoleum Concrete **3727** | drift



Marmoleum Concrete **3754** | Sirius

marmoleum® solid

concrete




These four special colours in the concrete range have colours popping out. This makes that they can be combined very well with other items out of the Marmoleum collection, especially from the colourbank of our Marbled range.



Marmoleum Fresco 3251 | lemon zest
Marmoleum Concrete 3733 | yellow shimmer



3733 | yellow shimmer LRV 42



3736 | green shimmer LRV 32



3712 | orange shimmer LRV 31



3763 | blue shimmer LRV 29



Marmoleum Concrete 3763 | blue shimmer

marmoleum® solid

piano



Piano is the Italian word for gently, plain, smooth or soft. In our Marmoleum Piano design a subtle soft fiber feel is combined with a plain background creating a semi-plain design. A tone in tone scattered design which, when installed, resembles a uni colour, but with incremental overtime visual retention.



3629 | frosty grey LRV 49



3650 | polar bear LRV 59



3634 | meadow LRV 43



3601 | warm grey LRV 32



3630 | angora LRV 37



3647 | nettle green LRV 24



3607 | grey dusk LRV 11



3631 | otter LRV 20



3645 | Neptune blue LRV 15



3642 | periwinkle LRV 24



Marmoleum Piano 3629 | frosty grey

	Marmoleum 2.5 mm Walton/ Concrete/ Cocoa/ Piano	Marmoleum Decibel Walton/ Concrete/ Cocoa/ Piano
Description	Linoleum sheet	Linoleum sheet
Dimensions	EN-ISO 24341 Roll width 2.0m Roll length $\leq$ 33 lm	Roll width 1.95 - 2.0m Roll length $\leq$ 33 lm
Total thickness	EN-ISO 24346 2.5mm	3.5mm
Collection size	72	72
Application	EN-ISO 10874 Class 23/34/43	Class 23/33/41
Acoustical impact noise reduction	EN ISO 717-2 $\leq$ 5 dB	$\geq$ 18 dB
CE	EN 14041	
Reaction to fire	EN 13501-1 C _s -s1,G,CS	C _s -s1,G,NCS
Slip resistance	EN 13893 $\mu \geq$ 0.30	$\mu \geq$ 0.30

Our recommended adhesive is 414 Euroflex Lino Plus or 614 Eurostar Lino Plus. Full technical specifications are available at www.forbo-flooring.com

Marmoleum Decibel to order

All Marmoleum Solid colours can be ordered in a 3.5 mm Marmoleum Decibel construction. Contact sales support for more information.



Marmoleum Decibel from stock
Scan the QR code for the actual Marmoleum Decibel stocked items

marmoleum® linear

striato

Marmoleum Linear is designed to create a contemporary, comfortable environment with a warm and welcoming feel for informal, natural settings with a homely atmosphere. A setting where we will recover faster, feel encouraged to work, share ideas, and to learn. With an intuitive reference to nature, the Linear collection allows you to create various atmospheres within a space, adjusting to changing needs. The neutral, rich colours have the ability to easily adapt and come to life when combined with each other and other materials. With Linear, the floor can act as a canvas offering endless possibilities.



5257 | sandy chalk LRV 61



5232 | rocky ice LRV 47



3573 | trace of nature LRV 28



5231 | Cliffs of Moher LRV 18



5248 | urban silver LRV 41



5249 | Stonehenge LRV 33



5250 | blue basalt LRV 27



5251 | black glacier LRV 19

	Striato		Striato Decibel
Description	Linoleum sheet		Linoleum sheet
Dimensions	EN-ISO 24341	Roll width 2.0m Roll length ≤ 33m	Roll width 1.95 / 2.0m Roll length ≤ 33m
Total thickness	EN-ISO 24346	2.5mm	3.5mm
Collection size	16		On request
Acoustical impact noise reduction	EN-ISO 717-2	18 dB	
Application	EN-ISO 10874	Class 23/34/43	Class 23/33/41
CE	EN 14041	0100201-DoP-306	0100207-DoP-306
Reaction to fire	EN 13501-1	Cfl-s1,G,CS	Cfl-s1,G,CS
Slip resistance	EN 13893	DS: ≥0.30	DS: ≥0.30

Full technical specifications are available at www.forbo-flooring.com
Please note: Digital representations may vary from the actual product.
Please order a sample to see the full effect. www.forbo-flooring.com



5252 | ivory shades LRV 52



5253 | bleached gold LRV 42



5225 | compressed time LRV 34



5254 | red horse LRV 18



5255 | desert sand LRV 48



5217 | withered prairie LRV 25



5256 | silt stone LRV 44



5218 | Welsh moor LRV 8



marmoleum® marbled

fresco | real | terra | vivace | splash

Fresco: a strong palette of tone in tone colors creating a fresh, delicate and balanced aesthetic with a soft contrast and a refined marbled structure.

Real: the 'royal' classic blend of carefully selected colors, developed to create choice and mixes of color ranging from warm neutrals to calm greys as well as exiting brights and fashion shades.

Terra: a new design with a close and highly contrasting structure inspired by ingenious rock types. It creates a sophisticated small scale marble with great soil hiding properties in an authentic color mix.

Vivace: Marmoleums' most liveliest and most outspoken blend made with six to eight colors to create a chameleon floor that adapts well to a multitude of interiors.

Splash: a modern playful design which from a distance appears a contemporary light grey solid floor with a slight nuance in tone, yet from up close surprising colors are peeking through, offering great combinations of interior elements.



3421 | oyster mountain LRV 17 3048 | graphite LRV 14 3872 | volcanic ash LRV 10 3139 | lava LRV 9 2939 | black LRV 5



3883 | moonstone LRV 45



3257 | edelweiss LRV 58



3860 | silver shadow LRV 48



3136 | concrete LRV 47



3428 | seashell LRV 45



3032 | mist grey LRV 42



3405 | Granada LRV 28



2621 | dove grey LRV 36



3420 | surprising storm LRV 31



3889 | cinder LRV 30



3053 | dove blue LRV 27



3146 | serene grey LRV 27



5802 | alpine mist LRV 31



3866 | eternity LRV 21



2629 | eiger LRV 19



3137 | slate grey LRV 16



3139 | lava LRV 9



2939 | black LRV 5

Description	Linoleum sheet	
Dimensions	EN-ISO 24341	Roll width 2.0m Roll length ≤ 32m
Total thickness	EN-ISO 24346	2/2.5/3.2mm
Collection size	90	
Application	EN-ISO 10874	Class 23/34/43
CE	EN 14041	
Reaction to fire	EN 13501-1	C _s -s1
Slip resistance	EN 13893	DS: ≥0.30

Our recommended adhesive is 414 Euroflex Lino Plus or 614 Eurostar Lino Plus. Full technical specifications are available at www.forbo-flooring.com



marmoleum® marbled

fresco | real | terra | vivace | splash



3858 | Barbados LRV 65



2713 | calico LRV 53



3861 | Arabian pearl LRV 50



3120 | rosato LRV 51



3433 | rockpool LRV 46



3141 | Himalaya LRV 40



3234 | forest ground LRV 33



2499 | sand LRV 56



3038 | Caribbean LRV 55



5803 | weathered sand LRV 31



3254 | clay LRV 17



3246 | shrike LRV 21



5801 | river bank LRV 29



3890 | oat LRV 31



3407 | donkey island LRV 36



3233 | shitake LRV 23



3426 | cork tree LRV 16



3874 | walnut LRV 11



3236 | dark bistre LRV 7



3427 | agate LRV 39



3075 | shell LRV 44

BREEAM generic ratings
Marmoleum – Linoleum (plain and decorative EN548)
Please note: Digital representations may vary from the actual product.
Please order a sample to see the full effect. www.forbo-flooring.com





3846 | natural corn LRV 56



3411 | sunny day LRV 45



3173 | Van Gogh LRV 46



3174 | Sahara LRV 29



2767 | rust LRV 19



3203 | henna LRV 11



3272 | plum LRV 13



3431 | limoncello LRV 48



3251 | lemon zest LRV 52



3125 | golden sunset LRV 38



3225 | dandelion LRV 46



3847 | golden saffron LRV 41

Description	Linoleum sheet	
Dimensions	EN-ISO 24341	Roll width 2.0m Roll length ≤ 32m
Total thickness	EN-ISO 24346	2/2.5/3.2mm
Collection size	90	
Application	EN-ISO 10874	Class 23/34/43
CE	EN 14041	
Reaction to fire	EN 13501-1	C _s -s1
Slip resistance	EN 13893	DS: ≥0.30

Our recommended adhesive is 414 Euroflex Lino Plus or 614 Eurostar Lino Plus. Full technical specifications are available at www.forbo-flooring.com



3273 | ruby LRV 10




3127 | Bleeckerstreet LRV 9



3432 | fruit punch LRV 46



3825 | African desert LRV 26



3403 | Asian tiger LRV 29



3262 | marigold LRV 34



3126 | Kyoto LRV 18



3131 | scarlet LRV 13



3263 | rose LRV 17



3268 | honey suckle LRV 33



3828 | blue heaven LRV 34



3266 | lilac LRV 37



3123 | arabesque LRV 23



3270 | violet LRV 17



3219 | spa LRV 32



3429 | bluemoon LRV 45



3055 | fresco blue LRV 23



3030 | blue LRV 12



3267 | aqua LRV 28



3269 | turquoise LRV 28



3264 | Greek blue LRV 17



3261 | marine LRV 8



3885 | spring buds LRV 46



3430 | salsa verde LRV 47



3891 | sage LRV 31



3247 | green LRV 23



3881 | green wellness LRV 51



3413 | green melody LRV 34



3271 | hunter green LRV 13



3260 | leaf LRV 27



3259 | mustard LRV 38



3224 | chartreuse LRV 38



3265 | avocado LRV 31



3247 | green LRV 23




3260 | leaf LRV 27

marmoleum® ohmex



Marmoleum Ohmex is a conductive floor covering that meets higher requirements for electrical conductivity. Electrical resistance is improved to $< 1\cdot10^8 \Omega$ (EN1081), ensuring personal safety and protecting equipment that is sensitive to static electricity. Ideal for computer rooms, server rooms and areas with sensitive equipment. Marmoleum Ohmex is 2.5 mm thick and available in 6 colors.



73038 | Caribbean LRV 55



73055 | fresco blue LRV 42



73032 | mist grey LRV 42




73146 | serene grey LRV 42



73048 | graphite LRV 14



72939 | black LRV 14



Description		Linoleum sheet
Dimensions	EN-ISO 24341	Roll width 2.0m Roll length ≤ 32 m
Total thickness	ISO 1765	2.5mm
Collection size		4
Application	EN 1307	Class 23/34/42
Electrical resistance	EN 1081	$1\cdot10^6 < R_1 < 1\cdot10^8 \Omega$ static dissipative
CE	EN 14041	
Reaction to fire	EN 13501-1	C _s -s1
Slip resistance	EN 13893	DS: ≥ 0.30

Our recommended adhesive is 615 Eurostar Lino EL.
Full technical specifications are available at www.forbo-flooring.com

marmoleum® acoustic



Our Marmoleum Acoustic floors reduce impact sound by 14 dB (ISO 717-2). Marmoleum Acoustic is a twinlayer floor covering with a build-up from 2 mm Marmoleum and a 2 mm Corkment backing.

Using Marmoleum Acoustic reduces installation costs as it can be installed in one go, avoiding the need to first lay Corkment and then Marmoleum. Marmoleum Acoustic is available in 6 colors.



33032 | mist grey LRV 42



33038 | Caribbean LRV 55




33139 | lava LRV 9




33252 | sparrow LRV 44



33048 | graphite LRV 14



33055 | fresco blue LRV 23



Description		Linoleum sheet
Dimensions	EN-ISO 24341	Roll width 2.0m Roll length ≤ 32 m
Total thickness	ISO 1765	4.0mm
Collection size		6
Application	EN 1307	Class 23/34/41
Acoustical impact noise reduction		≤ 14 dB
CE	EN 14041	
Reaction to fire	EN 13501-1	C _s -s1
Slip resistance	EN 13893	DS: ≥ 0.30

Our recommended adhesive is 540 Eurosafe Special or 640 Eurostar Special. Full technical specifications are available at www.forbo-flooring.com

marmoleum® decibel



Marmoleum Decibel is 3.5mm thick and provides an impact sound reduction of 18 dB. The acoustic performance is achieved by laminating 2.5mm Marmoleum onto a 1mm thick layer of polyolefin foam.

Marmoleum Decibel is also available in all Marmoleum colours as a made-to-order item with an 18 dB impact sound rating. Please note that minimum order quantities and lead times will apply. Please contact Forbo Customer Service for more details.

Description	Linoleum sheet	
Dimensions	EN-ISO 24341	Roll width 2.0m Roll length $\leq$ 33m
Total thickness	ISO 1765	3.5mm
Collection size	33	
Application	EN 1307	Class 23/33/41
Acoustical impact noise reduction	$\leq$ 18 dB	
CE	EN 14041	
Reaction to fire	EN 13501-1	C _{fl} -s1,G,NCS
Slip resistance	EN 13893	DS: $\geq$ 0.30

Our recommended adhesive is 540 Eurosafe Special or 640 Eurostar Special. Full technical specifications are available at www.forbo-flooring.com



Marmoleum Decibel 313635 | concrete, 370635 | beton




313635 | concrete LRV 47



376035 | dust LRV 38



312035 | rosato LRV 51



388335 | moonstone LRV 45



386035 | silver shadow LRV 37



372435 | orbit LRV 37



370635 | beton LRV 28



370835 | fossil LRV 34



303835 | Caribbean LRV 55



305335 | dove blue LRV 23



262135 | dove grey LRV 36



388935 | cinder LRV 30



370235 | liquid clay LRV 23



325235 | sparrow LRV 29



322535 | dandelion LRV 46



375135 | tundra LRV 22



386635 | eternity LRV 21



314635 | serene grey LRV 27




372335 | nebula LRV 17



370935 | silt LRV 22



322435 | chartreuse LRV 38



335535 | rosemary green LRV 21



387235 | volcanic ash LRV 10



304835 | graphite LRV 14



370535 | meteorite LRV 16



324635 | shrike LRV 21



303035 | blue LRV 12



Marmoleum Decibel 335535 | rosemary green

It is the composition of ingredients that makes Marmoleum Sport so unique. It meets all the requirements of an ecologically superior product construction and combines a wealth of positive performance characteristics, the end result of the material composition as such.

Linseed oil obtained from the seeds of the flax plant is the main component of Marmoleum Sport. Together with natural rosin, limestone and wood flour the linoleum substrate is created, which is coloured by adding natural or nature-based colour pigments.

High level sports flooring performance

- Flexible and elastic
- Multi-purpose (in combination with the appropriate subfloor system)
- Slip resistant
- Durable
- Insensitive to friction heat
- Warm to touch
- Flame retardant
- Suitable for underfloor heating
- Cigarette burn resistant

Description	Linoleum sheet	
Dimensions (length x width)	EN-ISO 24341	Roll with 2.00 m Roll length ≤28 m
Total thickness	EN-ISO 24346	3,2 mm / 4,0 mm
Collection size	11	
CE	EN 14041	
Reaction to fire	EN 13501-1	C _s -s1, G, CS



83283 | light grey

LRV 37%
NCS S 3502-Y




83020 | beige

LRV 50%
NCS S 2010-Y10R



83147 | grey

LRV 25%
NCS S 5005-G50Y



83707 | black

LRV 7%
NCS S 8500-N



83110 | dark blue

LRV 15%
NCS S 4040-B



83056 | blue

LRV 24%
NCS S 4020-B



83288 | dark green

LRV 26%
NCS S 3040-G10Y



83285 | green

LRV 37%
NCS S 2050-G50Y



83284 | yellow

LRV 51%
NCS S 1050-Y



83287 | red

LRV 19%
NCS S 1580-Y80R



83286 | orange

LRV 31%
NCS S 1060-Y50R

marmoleum® modular

MARMOLEUM IN TILE AND PLANK FORMAT

Marmoleum Modular is a collection with a twist, offering over 50 colours and 3 different tile and plank sizes, that enable individual and sustainable flooring designs to be created. Similarly to Marmoleum Sheet, the Marmoleum Modular collection is split into six design styles – Lines, Textura, Shade, Slate, Colour and Marbled. Our Marmoleum Modular collection will be renewed by September 2025 - please keep an eye on our website.



MARMOLEUM MODULAR COLLECTION AT A GLANCE

marmoleum® modular | lines

Bringing the linearity trend into the colour spectrum of the 21st Century, the new Marmoleum Modular Lines range features a palette of 11 striated colours – from cool whites and greys to warm and softer wood tones.



marmoleum® modular | textura

Reflecting both the warm and cool tones of natural wood, our wood grain and saw cut embossing effects bring another dimension to Marmoleum Modular.



marmoleum® modular | shade

The shade colourways are designed to complement each other and the palette is presented in delicate steps of colour intensity and hue to create natural realistic stone and concrete patterns.



marmoleum® modular | slate

Featuring a cool concrete palette with our unique slate embossing delivering a contemporary yet natural finish to floor design.



marmoleum® modular | colour

The Colour range features fashionable pastels alongside a modern mix of colourful concrete varieties and a full spectrum of bright warm colours which liven up the palette.



marmoleum® modular | marbled


Classic and contemporary marbled colours have been created to mix and match giving an extra dimension to your floor plan.



marmoleum® modular | lines

Lines: Bringing the linearity trend into the colour spectrum of the 21st Century, the new Marmoleum Modular Lines range features a palette of 11 striated colours – from cool whites and greys to warm and softer wood tones.

Available as 100 x 25cm planks, Marmoleum Modular Lines can be used on its own to striking effect or can be combined with elements from the Marmoleum Modular Textura, Colour, Shade, Slate or Marbled ranges to create truly unique flooring designs.



Marmoleum Modular Lines **t3573** | trace of nature
+ **t5231** | Cliffs of Moher + **t5232** | rocky ice



t3575 | white cliffs LRV 57



t5232 | rocky ice LRV 44



t5226 | grey granite LRV 29



t3573 | trace of nature LRV 27



t5230 | white wash LRV 49



t5235 | North Sea coast LRV 32



t5225 | compressed time LRV 34



t5237 | black sheep LRV 18



t5231 | Cliffs of Moher LRV 17



t5218 | welsh moor LRV 8




t5217 | withered prairie LRV 23

Description	Linoleum tile	
Dimensions (length x width)	EN-ISO 24342	100 x 25cm
Packaging per carton	3m² (12 tiles)	
Total thickness	EN-ISO 24346	2.5mm
Collection size	11	
Application	EN-ISO 10874	Class 23/34/43
CE	EN 14041	
Reaction to fire	EN 13501-1	C _s -s1
Slip resistance	EN 13893	DS: ≥0.30

Our recommended adhesive is 414 Euroflex Lino Plus or 646 Eurostar Premium. Full technical specifications are available at www.forbo-flooring.com

marmoleum® modular | textura

A succinct collection of 7 tones, each featuring either a wood grain or saw cut embossed finish to complement the design, Marmoleum Modular Textura can be used on it's own or alongside its Lines counterparts to add depth and texture to flooring concepts.



Marmoleum Modular Textura **te3573** | trace of nature

Description	Linoleum tile	
Dimensions (length x width)	EN-ISO 24342	100 x 25cm
Packaging per carton	3m² (12 tiles)	
Total thickness	EN-ISO 24346	2.5mm
Collection size	7	
Application	EN-ISO 10874	Class 23/34/43
CE	EN 14041	
Reaction to fire	EN 13501-1	C _s -s1
Slip resistance	EN 13893	DS: ≥0.30

Please note: Digital representations may vary from the actual product. Please order a sample to see the full effect. www.forbo-flooring.com
Our recommended adhesive is 414 Euroflex Lino Plus or 646 Eurostar Premium. Full technical specifications are available at www.forbo-flooring.com



te3573 | trace of nature



LRV 27 te5231 | Cliffs of Moher LRV 17



te5230 | white wash LRV 49



te5235 | North Sea coast LRV 32



te5217 | withered prairie LRV 23



te5229 | fresh walnut LRV 15




te5218 | Welsh moor LRV 8



Marmoleum Modular Textura **te5218** | Welsh moor

marmoleum® modular | shade | slate

Shade offers a collection of concrete structures in cool and warm greys as well as classic black and white, all designed to complement each other, while the embossed finish on Slate brings a contemporary finish to the design.




Description		Linoleum tile
Dimensions (length x width)	EN-ISO 24342	50 x 25cm / 50 x 50cm
Packaging (per carton)		5m² (40 tiles) / 5m² (20 tiles)
Total thickness	EN-ISO 24346	2.5mm
Collection size		10/4/8/11
Application	EN-ISO 10874	Class 23/34/43
CE		EN 14041
Reaction to fire	EN 13501-1	C _{fl} -s1
Slip resistance	EN 13893	DS: ≥0.30

Our recommended adhesive is 414 Euroflex Lino Plus or 646 Eurostar Premium. Full technical specifications are available at www.forbo-flooring.com


marmoleum® modular | colour

Colour: a range featuring a modern mix of colourful concrete varieties and a full spectrum of bright warm colours which liven up the palette. This is the heart of the collection and embodies one of the best known features of Marmoleum, that of colour on the floor. Colours can be used as focus, accents or as a different way to express the environment.



marmoleum® modular | marbled

Marble: classic and contemporary marbled colours have been created to mix and match giving an extra dimension to your floor plan. Bring Marmoleum Modular to life by combining marbles to reflect a stone like floor.



BREEAM generic ratings
Marmoleum – Linoleum (plain and decorative EN548)
Please note: Digital representations may vary from the actual product. Please order a sample to see the full effect.

marmoleum® click



Our Marmoleum Click panels are very durable and simple to care for. The smooth surface is easy to clean while its beautiful colours won't fade over time. Marmoleum Click is available in 23 colours and 3 panel sizes, which offers great design opportunities to create your own unique floor.

Marmoleum Click also improves live for people with asthmatic allergies and similar disorders. Not only is it anti-static (which is why it is so easy to keep dust-free), but its proven bacteriostatic properties inhibit micro-organisms as well.



Marmoleum Modular Click 333355 | rosemary green

Tile sizes
30 x 30 cm
60 x 30 cm



silver shadow
30 x 30 cm | 333860
60 x 30 cm | 633860



moon
30 x 30 cm | 333701
60 x 30 cm | 633701




Barbados
30 x 30 cm | 333858
60 x 30 cm | 633858




eternity
30 x 30 cm | 333866
60 x 30 cm | 633866



orbit
30 x 30 cm | 333724
60 x 30 cm | 633724



cloudy sand
30 x 30 cm | 333711
60 x 30 cm | 633711



volcanic ash
30 x 30 cm | 333872
60 x 30 cm | 633872



nebula
30 x 30 cm | 333723
60 x 30 cm | 633723




liquid clay
30 x 30 cm | 333702
60 x 30 cm | 633702



raven
30 x 30 cm | 333209
60 x 30 cm | 633209



black hole
30 x 30 cm | 333707
60 x 30 cm | 633707



delta lace
30 x 30 cm | 333568
60 x 30 cm | 633568



333866 - 333355 - 333885 - 333360



Tile sizes
30 x 30 cm



333363 | lilac
30 x 30 cm



333360 | vintage blue
30 x 30 cm



333355 | rosemary green
30 x 30 cm



333358 | petrol
30 x 30 cm



333885 | spring buds
30 x 30 cm



333238 | laguna
30 x 30 cm



333251 | lemon zest
30 x 30 cm



333131 | scarlet
30 x 30 cm



933573 - 633702

Tile sizes
90 x 30 cm



935216 | Pacific beaches
90 x 30 cm



933573 | trace of nature
90 x 30 cm



935217 | withered prairie
90 x 30 cm

Description	Linoleum tile	
Dimensions (length x width)	EN-ISO 24342	30 x 30 cm
		60 x 30 cm
		90 x 30 cm
Packaging per carton	5m ² (40 tiles) / 5m ² (20 tiles)	
Total thickness	EN-ISO 24346	9,8mm
Collection size	20/12/3	
Application	EN-ISO 10874	Class 23/33
	EN 14041	
Reaction to fire	EN 13501-1	C _{fl} -s1
Slip resistance	EN 13893	DS: ≤0.30



Bulletin Board 4002 leather

NON FLOORING LINOLEUM COLLECTION AT A GLANCE

bulletin board®

Pinboard linoleum, or Bulletin Board, offers a practical, simple solution to collect and exchange thoughts and ideas wherever people plan, create and meet. Simply share your thoughts by pinning your idea onto the wall.



furniture linoleum

Furniture Linoleum is a decorative surfacing material that can be applied to vertical, horizontal and curved surfaces, providing interior furniture with a truly distinctive and individual look.



bulletin board®



Pinboard linoleum, or Bulletin Board, offers a practical, simple solution to collect and exchange thoughts and ideas wherever people plan, create and meet. Simply share your thoughts by pinning your idea onto the wall.

Bulletin Board is an all natural material that can be applied in framed pin boards or directly onto the wall. Its surface is tactile and colourful, creating a decorative element in your space, in addition to being a practical aid in your day to day activity.




Bulletin Board 2162 | duck egg + 2166 | nutmeg spice + 2186 | blanched almond + 2210 | hot salsa



2206 | oyster shell LRV 43



2182 | potato skin* LRV 28




2187 | brown rice LRV 34



2212 | fresh pineapple LRV 40




2211 | tangerine zest LRV 20



2162 | duck egg LRV 25



2186 | blanched almond* LRV 34



2166 | nutmeg spice* LRV 22



2210 | hot salsa LRV 11



2213 | baby lettuce LRV 23



2204 | poppy seed LRV 16



2208 | mushroom medley LRV 18



2207 | cinnamon bark LRV 18



2214 | blue berry LRV 6

Description	Bulletin Board
Dimensions	EN-ISO 24341 Roll width 1.22m *(3 items available in 1.83m) Roll length ≤ 28m
Total thickness	ISO 1765 6.0mm
Collection size	15
Force on pins – Perpendicular to pin direct LH000421	25 N (typical)
Force on pins – Perpendicular to pin at 7mm LH000421	10 N (typical)
Force on pins – Parallel to pin (pulling the pin out) LH000421	15 N (typical)

Our recommended adhesive is 414 Euroflex Lino plus and 530 Eurosafe Cork. Full technical specifications are available at www.forbo-flooring.com



Bulletin Board 2162 | duck egg 2182 | potato skin 2186 | blanched almond 2187 | brown rice 2206 | oyster shell 2212 | fresh pineapple 2214 | blue berry

furniture linoleum



Forbo Furniture Linoleum is a natural surfacing material that delivers the finishing touch for all high end furniture designs such as desks, chairs, stools, cabinets, doors and displays. Furniture Linoleum is renowned for its elegance and durability, radiating high quality and finesse. The mat surface and it's warm, soft texture make it a unique surfacing solution.



Description	Linoleum sheet	
Dimensions	EN-ISO 24341	Roll width 1.83m (2.0m – Nero only) Roll length ≤ 30m
Total thickness	ISO 1765	2.0mm
Collection size	21	

Our recommended adhesive is 233 Eurosol Contact. Full technical specifications are available at www.forbo-flooring.com

Please note: Digital representations may vary from the actual product. Please order a sample to see the full effect.